




Local Representative:
Ken Otzel/President
High Performance Machinery
Direct # (508)958-5565
otzelk8@gmail.com or otz1@aol.com
Bellingham, MA



VACUUM PARTS CLEANING

The most effective, environmentally-friendly parts cleaner for parts machined in oil

KLEEN POWER



The Widest System Range On The Market

From dental implants to large die-cast products, the KP range meets the most varied production requirements. Working completely in vacuum conditions, all systems have:

Continuous solvent filtration

Drying and deodorization of the shavings before opening the filter

Continuous solvent distillation

Continuous separation of the emulsion with automatic water discharge

Total separation of oil from solvent, with continuous automatic removal

Continuous operation data collection

Remote connection via internet

Easy accessibility for maintenance purposes

VACUUM CLEANING MACHINES MODIFIED ALCOHOLS . HYDROCARBONS

Applications

Turned mechanical parts
Precision CNC turned parts
Pressed metal parts
Die-casting
Bent items
Hydraulic components
Valves
Fittings
Taps
Pots and pans
Cutlery
Heat exchangers
Automotive
Sintered components
Gears
Watches
Jewellery
Medical components



The best technology on the market

Thanks to its vacuum cycle with values of up to 1 millibar and its wide standard and optional ranges, the KP series cleaning units are the best cleaning technology on the market.

The best environmental quality

Working totally in vacuum conditions, the KP cleaning units guarantee that at the end of the treatment no solvent residue is present on the items or released into the environment.

The best productivity

Thanks to the reduction in cycle time the KP cleaning units allow a 100% increase in productive capacity and a 50% reduction in energy consumption.

The best cleaning quality

The KP cleaning units constantly guarantee the best cleaning results regardless of the type and amount of contamination. Even in blind holes.

The best solvent management

The KP cleaning units drastically reduce solvent consumption down to just a few litres a year and to do away with the need for stabilizers.

The greatest management saving

The KP cleaning units allow to separate oil from solvent completely and to reuse it in the productive cycle with great economic benefit. Shavings can also be separated according to the type of material and daily maintenance is eliminated.



KP 12

The greatest treatment quality
for the smallest items



KP 30

The best results for the most
demanding applications

Self contained half basket size.



- The best part cleaning quality
- The best solvent management
- The best environmental quality
- The best performance

KP 50/100

The best technology also
in the basic models

One and two full basket capacity.



KP 150/200

Large systems with
great performance

Three and four basket models.






Standard Features

- Stainless steel construction
- Vacuum-proof systems
- Vacuum pumps
- High-pressure solvent pumps
- Variable turbulence spraying system
- Cryogenic cooling system
- Oil separation unit
- Solvent loading/unloading sealed system
- Solvent filtration
- Two solvent storage tanks
- Touch screen control panel
- Internet-based service




Optional Accessories

- Ultrasound transducers
- Third solvent tank
- Rust Prevention application
- Additional filtration units
- Automatic load handling systems
- Automatic load recognition systems
- Chlorinated solvent use




Capacities:



	KP 30	KP 50	KP 100	KP 150	KP 200
A	78"	110"	118"	122"	130"
B	55"	73"	80"	85"	96"
C	55"	73"	77"	95"	98"
a	5.9"	7.9"	7.9"	7.9"	7.9"
b	11.8"	17.7"	23.6"	35.4"	47.2"
c	7.9"	11.9"	17.7"	17.7"	17.7"
Number of Baskets	1	1	2	3	4
Solvent Capacity (Gallons)	18.5	106	158.5	237	264

Basket Orientation:



Solvents:

The iFP Washer Can Effectively Use Both Hydrocarbon And Modified Alcohol Based Cleaning Solvents.

Modified alcohol (MA), is a popular choice for metal cleaning due to its highly effective cleaning capability. The structure of MA is the key to its effectiveness. MA has both hydrophilic ("water-loving") and lipophilic ("oil-loving") portions in the structure, behaving similar to a surfactant (surface active agent used in cleaning formulations). This versatile feature enables MA to effectively isolate soil particles and remove them from metal surfaces without re-depositing them, so the parts dry without residue. With both hydrophilic and lipophilic characteristics, MA offers exceptional solvency for a broad range of soils and contaminants.

Unlike typical surfactant-based cleaners, which have limited use before requiring disposal, MA can be distilled to separate it from contaminants, and then re-used, resulting in a recyclable solvent. That means longer cleaning fluid life and less money wasted on re-work or solvent replacement.

Process

Metal parts

- Before and after processing or assembly
- Prior to finishing steps such as painting, coating, welding, adhesion or sealing
- As a final cleaning step to meet quality requirements

Application

Remove

- Greases
- Oils
- Emulsions
- Particulates (polishing and lapping pastes, metal fines)
- Fingerprints

Types of Components

- Drawn or formed metal parts
- Sintered metals
- Lapped parts
- Glass optical lenses
- Heat exchangers
- Ceramics







The Company

Established by a team of people with acknowledged, sound expertise in the industrial cleaning sector, IFP europe srl has managed to achieve a leading position both nationally and internationally, so that it is considered one of the most reliable, innovative European manufacturers with a high-end production consisting of vacuum cycle cleaning machines.

From lab tests to production integrated design, from solution customization to the system remote control via internet, the constant application of cutting-edge technologies, the attention to quality and reliability characterize IFP europe srl and are the best guarantee a customer might have of a superb choice in all respects.

www.ifpsrl.com



IFP europe Srl
Viale dell'Industria, 11
35013 Cittadella (PD) Italia
Tel. +39 049.5996883
Fax +39 049.5996884
info@ifpsrl.com

TOOL UP *In* VOLUME


TOP TOOL LINES

2.0

BTB

Rotary Transfer Machines


Lowest cost per part with easy changeover within part families



SINCO

CNC Double End Working Machines

High volume parts from bar stock, tube and shapes with quick changeovers



SUPPORT SERVICES

24/7 PARTS & SERVICE


Fully trained Gosiger quality service team in your region;
10,000 spare parts in inventory
and same day emergency response 95% of the time

AUTOMATION

Intelligent, effective high volume solutions that integrate robust automation

ENGINEERING


Project management, manufacturing and statistical quality analysis engineering



SHIMADA

CNC Multi-Spindle Lathes


High precision without special tooling plus fast set up



NOMURA

Swiss Turning Machines


Known world-wide for extreme rigidity and process stability



iFP

Vacuum Parts Cleaning

The most effective environmentally friendly parts cleaner for parts machined in oil



Euroturn

- Support
- Rebuilds
- Trades
- CNC Retrofits



Gosiger.com/high-volume

Contact your Gosiger

High Volume consultant:

877.288.1538

HighVolume@gosiger.com

GOSIGER
HIGH VOLUME
serious solutions

Local Representative:

Ken Otzel/President

High Performance Machinery

Direct # (508)958-5565

otzelk8@gmail.com or otz1@aol.com

Bellingham, MA